

GENERAL NOTES

1. THE VERTICAL INFORMATION OBTAINED FROM SURVEY IS BASED UPON NAVD 1988.
2. ALL PUBLIC LAND CORNERS OR BENCHMARKS WITHIN THE LIMITS OF CONSTRUCTION ARE TO BE PROTECTED. THE CONTRACTOR IS RESPONSIBLE FOR REPLACING ANY MONUMENTATION OR CONTROL POINTS DISTURBED DURING CONSTRUCTION. RE-ESTABLISHMENT OF ANY MONUMENTS OR CONTROL POINTS WILL BE PERFORMED BY A PROFESSIONAL SURVEYOR AND MAPPER LICENSED IN THE STATE OF FLORIDA. THESE MONUMENTS AND CONTROL POINTS WILL BE SHOWN AS REPLACED ON THE AS-BUILT PLANS AND BEAR THE REGISTRATION NUMBER OF THE CONTRACTOR'S SURVEYOR.
3. ALL CONSTRUCTION WITHIN THE COUNTY RIGHT-OF-WAY SHALL BE IN ACCORDANCE WITH THE LATEST PREVAILING BAKER COUNTY LAND DEVELOPMENT REGULATIONS, FDOT GREEN BOOK, FDOT DESIGN STANDARDS, FDOT SPECIFICATIONS AND THE UTILITY ACCOMMODATION MANUAL.
4. THE CONTRACTOR SHALL PROVIDE 14 DAYS NOTIFICATION TO PROPERTY OWNERS PRIOR TO ANY REMOVAL, RELOCATION, OR REPLACEMENT OF EXISTING FENCES, MAILBOXES, SURVEY MONUMENTS AND SECTION CORNERS, DRIVEWAYS, LANDSCAPE, ETC.
5. EXISTING MAILBOXES WITHIN THE PROJECT LIMITS ARE TO BE RELOCATED. THE STANDARD MAILBOXES ARE TO BE FURNISHED AND INSTALLED BY THE CONTRACTOR. MAILBOX RELOCATION SHALL COMPLY WITH FDOT STANDARD INDEX 110-200. DURING CONSTRUCTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING TEMPORARY MAILBOXES/MAIL SERVICE TO THE PROPERTY OWNER.
6. THE CONTRACTOR SHALL SAWCUT EXISTING ASPHALT PAVEMENT ALONG STRAIGHT LINES AS SHOWN IN THE PLANS
7. UTILITY CONTACT INFORMATION:


| UTILITY CO. | TELEPHONE NO. | CONTACT PERSON |
|---|----------------|----------------|
| CLAY ELECTRIC | (386) 961-0106 | CRAIG WACHA |
| FLORIDA POWER & LIGHT, BAKER COUNTY | (305) 219-9143 | MARIO ESCALONA |
| NORTHEAST FLORIDA TELEPHONE COMPANY, INC. | (904) 264-3036 | JERED BEARDEN |

8. EXISTING UTILITIES THAT ARE WITHIN PROJECT LIMITS AND NOT MARKED FOR RELOCATION SHALL REMAIN. CONTRACTOR SHALL TAKE MEASURES TO ENSURE THAT THESE UTILITIES ARE PROTECTED FROM DAMAGE.
9. CONTRACTOR SHALL MAINTAIN ACCESS TO ALL PROPERTIES AT ALL TIMES.
10. PRIOR TO CONSTRUCTION, IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO PREPARE, FOR APPROVAL BY THE ENGINEER, A DETAILED AND COMPREHENSIVE EROSION AND SILTATION CONTROL PLAN THAT COVERS ALL PHASES OF CONSTRUCTION OF THE PROJECT.
11. ALL EXISTING STORM WATER DRAINAGE PATTERNS AND CHANNELS OUTSIDE THE CONSTRUCTION AREAS SHOWN ON THESE PLANS ARE TO BE MAINTAINED. THE CONTRACTOR SHALL NOTIFY THE ENGINEER IF THE WORK APPEARS TO INTERRUPT AN EXISTING STORM WATER DRAINAGE PATTERN. THE CONTRACTOR SHALL MAINTAIN A CLEAR PATH FOR ALL SURFACE WATER DRAINAGE STRUCTURES AND DITCHES DURING ALL PHASES OF CONSTRUCTION SUCH THAT IMPACT TO CONSTRUCTION AND/OR SURROUNDING FACILITIES IS MINIMIZED.
12. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY EROSION, SEDIMENT TRANSPORT, DISTURBED FOUNDATIONS, IMPACT TO STRUCTURES, DEWATERING, AND ANY OTHER DAMAGE CAUSED DURING CONSTRUCTION.
13. THE CONTRACTOR SHALL PREVENT THE DISCHARGE OF SEDIMENT INTO DRAINAGE DITCHES DUE TO CONSTRUCTION OPERATIONS. APPROVED EROSION CONTROL DEVICES SHALL BE INSTALLED TO PREVENT DISCHARGE OF SEDIMENT INTO A DRY OR WET WATERCOURSE. ALL NEW AND EXISTING DRAIN PIPES AND STRUCTURES SHALL BE FLUSHED CLEAN PRIOR TO FINAL PAYMENT.
14. EXISTING STREET AND ROAD NAME SIGNS IDENTIFIED TO BE RELOCATED OR REMOVED AND REPLACED ARE TO BE TEMPORARILY RELOCATED DURING CONSTRUCTION AND KEPT VISIBLE AT ALL TIMES FOR THE BENEFIT OF EMERGENCY VEHICLE TRAFFIC.
15. DURING CONSTRUCTION, THE CONTRACTOR SHALL PREVENT ASPHALT AND DEBRIS FROM ENTERING DRAINAGE INLETS (EXISTING OR PROPOSED). INLETS WITHIN THE ACTIVE WORK ZONE SHALL BE INSPECTED AND ANY ASPHALT OR DEBRIS REMOVED BEFORE PROCEEDING TO THE NEXT WORK ZONE.

SIGNING AND PAVEMENT MARKING NOTES

1. ALL EXISTING SIGNS TO REMAIN ARE TO BE PROTECTED AND REPLACED AT THE CONTRACTORS EXPENSE IF DAMAGED DURING CONSTRUCTION.
2. CONTRACTOR SHALL FIELD ADJUST SIGNS TO AVOID UTILITY CONFLICTS.
3. ALL PAVEMENT MARKINGS SHOWN IN THE PLANS SHALL BE PAINT, PER FDOT SPECIFICATIONS, SECTION 710.



| REVISIONS | | | | SRIKANTH N. YELESWARAPU, P.E. P.E. LICENSE NUMBER 73614 EISMAN & RUSSO, INC. 6455 POWERS AVE. JACKSONVILLE, FL 32217 CERTIFICATE OF AUTHORIZATION 4281 |  BAKER COUNTY REID STAFFORD/ GLEN NURSERY ROAD PHASE II (SECTION A) | GENERAL NOTES | SHEET NO. |
|-----------|--|------|-------------|---|---|----------------------|-----------|
| DATE | DESCRIPTION | DATE | DESCRIPTION | | | | 3 |
| 3/12/21 | △ REVISED PVMT MARKING MATERIAL TO PAINT | | | | | | |